

## **Communication's Role in Safety Management and Performance of the Road Safety Practices**

*S. Keffane*

PhD in Psychology, Researcher, Department of Psychology, University Setif 2, Setif, Algeria.  
E-Mail: keffane1967@yahoo.fr

### **ABSTRACT**

Workers' road safety in organizations represents a major issue in countries like France, especially when considering the large number of vehicles used in displacements assigned by companies. Despite continuing efforts to reduce the number of crashes, every year thousands of workers found death in their workplaces and millions suffer occupational injuries and illnesses. The communication in organizations could play an important role to increase road safety. To better know its role, this study measured managers' and employees' perceptions about the communication's role in six antecedents' safety management and performance of road safety practice self-reported safety knowledge, safety motivation, safety compliance and safety participation, by conducting a survey using a questionnaire among 165 employees and 135 managers.

The reliability and unidimensionality of all the items of scale used were found acceptable. Path analysis using AMOS-19 software showed that some of the safety management of road safety practices have effects associated with the safety performance determinants and components; namely, all the six antecedents' only safety training and safety promotion have effects related to safety motivation, and only safety commitment, safety communication and feedback have effects related to safety knowledge. Safety behavior compliance was found to be the key mediator in explaining these effects and relationships, and only safety feedback has effects related to safety participation. Safety feedback was identified as the most important safety management factor to road safety practices that predicts safety knowledge, safety motivation, safety compliance and safety participation.

The results of this study will contribute to the related companies' ability to assess the road safety indicators and will also be a contribution to the future development of safety performance management for road safety practices in companies.

**KEYWORDS:** Safety communication, Safety performance, Safety management, Safety behavior, Road safety practices.

### **INTRODUCTION**

Despite continuing efforts to reduce the number of work-related accidents, every year thousands of workers die at their workplaces and millions suffer occupational injuries and illnesses (U.S. Bureau of

Labor Statistics [BLS], 2008a, 2008b). In fact, there were 1178 fatal work injuries in the United States (U.S.) construction industry sector in 2007 (BLS, 2008c). Furthermore, the costs associated with injuries in the U.S. construction industry have been estimated to exceed 10 billion dollars per year (Waehrer et al., 2007). Over the past few years, the road crashes are one of the most important problems faced by many

organizations in several countries. In France, statistics of road crashes (French Interior Ministry, 2009) revealed a number of 53 014 road crashes, 1997 people lost their lives, 44109 were injured and 16 173 hospitalized. According to these statistics, what can companies do to maintain the employees' safety?

According to the manual prepared by (Delhomme et al., 2009), road safety communication campaigns aim at:

- Providing information regarding new or modified legislation.
- Increasing knowledge and awareness as the impact of new technology, equipment, as well as behavior on the road and associated risks are concerned.
- Changing the parameters that have scientifically or empirically proven to affect road user behavior (Ajzen, 1985).
- Attempting to change inappropriate behavior that increases risk and retaining behavior that promotes safety.
- Contributing to the reduction of the frequency of road accidents and the minimization of severity of their impacts.

In fact, researchers and practitioners have gradually recognized the importance of organizational factors, such as safety climate, for safety performance in the construction industry (Mohamed, 2002).

Most of the authors (Bowander, 1987; Chouhan, 2005; Gupta, 2002) who studied the accidents unanimously agreed that programmes and policies for managing safety in the workplace in major industries in different countries are inadequate and require modification. The communication in organizations is used as a rather efficient strategy to approach the wide audience in terms of promoting road safety, improving driving behavior and contributing to less road accidents, injuries and fatalities (Conner and Norman, 2005; Marcil et al., 2001).

Research in the area of road safety became prominent during the past three decades. Its primary objective is to predict safety related outcomes such as accidents and injuries in order to provide valuable

guidance for improving safety in organizations. This requires extensive knowledge, not only about the various aspects that influence safety, but also as to how these influences occur. The fact that organizational and social factors do influence safety performance led to extensive research in the field of safety culture and safety climate (e.g., Cox and Flin, 1998; Donald and Canter, 1994; Glendon and Stanton, 2000; Guldenmund, 2000; Hofmann et al., 1995; Lee and Harrison, 2000; Mearns et al., 2003; Pidgeon, 1998; Vinodkumar and Bhasi, 2009; Zohar, 1980).

Neal et al. (2000) took safety climate as a single factor containing management values, communication, training and safety systems and studied the mediating role of safety knowledge and motivation on the relationship between safety climate and safety behavior. SEO (2005) operationalized perceived safety climate as management commitment, supervisor support, co-worker support, employee participation and competence level in the study looking for mediators in safety climate-safety performance relationship. Huang et al. (2006) included management commitment to safety, return to work practices, post-injury administration and safety training as the constituents of safety climate while analyzing the mediating role of safety control in the relationship between safety climate and safety performance.

Siu et al. (2004) took safety attitudes and communication as the factors in safety climate while assessing the mediating role of psychological strain in the safety climate-safety performance relationship. In another study, Wu et al. (2008) opined that safety climate consists of CEO's safety commitment, managers' safety commitment, employees' safety commitment, emergency response and perceived risk.

In the study of Cavazza and Serpe (2009), the mediating role of attitudinal ambivalence of employees towards personal protective equipment in the relationship between safety climate and unsafe behavior was investigated. This study considered company safety concern, senior managers' safety concern, work pressure and supervisors' attitude

towards safety as the dimensions of safety climate. It is evident from these studies that the choice of safety climate dimensions can partially be determined by practical interest (Huang et al., 2006). In light of the research presented above, it is argued that construction workers who feel more comfortable to raise and discuss safety issues with their supervisors are more likely to initiate and engage in such communication, and thus become more competent in safety procedures and policies, as well as more aware of the consequences of unsafe behaviors and of potential workplace hazards (Hofmann and Morgeson, 1999; Parker et al., 2001). As Parker et al. (2001) state, "one way in which good quality communications allow employees to behave safely is to provide them with the information they need to work safely". In summary, the perceptions of managers and employees of road safety practices implemented in their organizations are considered as organizational factors which can influence safety performance. Hence, the above six safety management on road safety practices are considered antecedents of safety performance in this study.

### **Safety Performance**

Even though traditional measures of safety performance rely primarily on some form of accident or injury data, safety-related behaviors such as safety compliance and safety participation can also be considered components of safety performance. Safety compliance represents the behavior of the employees in ways that increase their personal safety and health. Safety participation represents the behavior of employees in ways that increase the safety and health of co-workers and that support an organization's stated goals and objectives (Hagan et al., 2001). The model proposed by Neal and Griffin (1997) based on the theories of job performance (Borman and Motowidlo, 1993; Campbell et al., 1993) distinguishes between the antecedents of performance, determinants of performance and components of performance.

Neal et al. (2000) considered safety climate an

antecedent of safety performance, safety knowledge and safety motivation as determinants of safety performance and considered safety compliance and safety participation components of safety performance. In another study, Pousette et al. (2008) measured safety motivation and safety knowledge as two individual attitudes to safety. Self-rated safety behavior was measured by three safety behavior measures. They were named structural safety behavior (concerning participation in organized safety activities), instructional safety behavior (concerning safety activities in the daily work in interaction with co-workers and management) and personal safety behavior (measuring behavior promoting personal protection). Considering the above studies, the authors included the perceptions of the employees on the six identified safety management practices as the antecedents of safety performance in the current study. The determinants of safety performance were measured by safety motivation and safety knowledge, and components of safety performance were measured by safety compliance and safety participation in this study.

### **Safety Communication**

It has long been recognized that open communication and frequent interaction between employees and supervisors are important organizational characteristics, which differentiate companies with low accident rates from those with high accident rates (e.g., Cohen et al., 1975, cited in Zohar, 1980; Smith et al., 1978). More recently, Barling and Zacharatos (1999) proposed information sharing and communication among 10 work practices which have positive impact on occupational safety.

At present, a significant body of research exists in support of the relationship of safety communication with various indicators of safety performance. For example, Bentley and Hale (2003) identified safety communication between managers and employees as one of five desirable management safety practices which differentiated between low and high accident rate postal delivery offices.


Other researchers have confirmed the negative relationship between safety communication and occupational accidents, injuries or near-misses (e.g., Hofmann and Morgeson, 1999; Mearns et al., 2003; Mearns et al., 1998; Probst, 2004; Sawacha et al., 1999; Siu et al., 2004). Research has also indicated that safety communication was significantly associated with safety behavior such as compliance (Cheyne et al., 1998; Griffin and Neal, 2000; Parker et al., 2001), safety knowledge (Probst, 2004; Griffin and Neal, 2000), safety participation (Griffin and Neal, 2000) and success of safety programs (Harper et al., 1997). In three intervention studies, Zohar and Luria (2003) demonstrated that as supervisors' interactions with workers about safety issues increased, so did workers' safety behaviors and their safety climate perceptions. Consistent with this, other studies have shown that the most effective supervisors displayed a more supportive style of leadership, initiated discussion about safety and provided constructive feedback to workers about safety behavior (Mattila et al., 1994; Niskanen, 1994; Simard and Marchand, 1994).

**The Present Study**

The role of communication in employees' performance is critical because behaviors resulting in industrial accidents are not typically new occurrences (Vredenburg, 2002). It is important to provide employees with risk identification and safety

information through safety communication and replying quickly to safety related problems. In order for organizations to foster a climate where employees are alert to hazards, they must provide and communicate risk and safety information (Pidgeon, 1991; Fernandez-Muniz et al., 2007). Regular feedback on safety performance can be communicated to employees through posted charts and a review of behavioral data at safety meetings (Rundmo, 1994). Hoffmann and Stetzer (1998) found that safety communication significantly influences accident attributions.

This study was designed based on the findings of Campbell et al. (1993) that the six antecedents' safety management of road safety practices (commitment, training, involvement, feedback, procedures, promotion) mediate the relationship between the determinants and components of performance. The first purpose of this study was to establish the unidimensionality and reliability of the six safety management of road safety practices scales, safety knowledge, safety motivation, safety compliance and safety participation. The second purpose of this study was to investigate the direct effects of safety knowledge and motivation on the relationship between the six antecedents' safety management of road safety practices and safety behavior (safety compliance and safety participation). The hypothesized model of the study is depicted in Fig. 1.



**Figure (1): Hypothesized model**

The safety management system implemented in an organization is comprised of a set of policies and practices aimed at positively impacting on the employees' attitudes and behaviors with regard to road risk, thereby reducing their unsafe acts.

Its aim is to raise awareness, understanding, motivation and commitment among workers (Fernandez-Muniz et al., 2007). From the above arguments, it appears that the safety management managers' practices can influence the safety knowledge and motivation of employees. Based on the above, the following hypotheses are advanced.

- H1:** Communication's role with foremen is expected to be positively related to a direct relationship between the six antecedents' safety management of road safety practices (safety commitment, safety training, workers' involvement, communication and safety feedback, safety procedures, and safety promotion).
- H2:** The six antecedents' safety management of road safety practices (safety commitment, safety training, workers' involvement, communication and safety feedback, safety procedures, and safety promotion) predict safety knowledge.
- H3:** The six antecedents' safety management of road safety practices (communication and safety commitment, safety training, workers' involvement, communication and safety feedback,

safety procedures, and safety promotion) predict safety motivation.

- H4:** The six antecedents' safety performance management of road safety practices (communication and safety commitment, safety training, workers' involvement, communication and safety feedback, safety procedures, and safety promotion) predict safety behavior compliance.

- H5:** The six antecedents' safety performance management of road safety practices (communication and safety commitment, safety training, workers' involvement, communication and safety feedback, safety procedures, and safety promotion) predict safety participation.

## METHOD

### Population and Sample

This study was conducted in the year 2011 on French organizations.

Data collected for this study was based on a questionnaire survey. A questionnaire was sent to 750 managers and workers. A total of 300 usable questionnaires were collected, which represented 165 workers and 135 managers (40%) of the target sample. Details about the six companies that were studied are presented in Table 1.

**Table 1. Details of organizations and response rate**

	Participating organizations	Given	Questionnaire survey details	
			Returned	Response%
1	Colas Group (Paris)	400	150	38
2	PSA Peugeot Citroën (Eure-et-Loir)	100	55	55
3	La Plaine de l'Ain (Lyon)	100	40	40
4	MEDEF (Eure-et-Loir)	50	20	40
5	ANAIS (Eure-et-Loir)	50	20	40
6	ALVE (Eure-et-Loir)	50	15	30
	Total	750	300	40

We will try to give profiles of the respondents

(N = 300), such as: (the mean of age, the rate of job

experience, the rate of difference between gender, the mean of marital status, the rate of kilometers of annual displacements by the participants, the rate of the

driver's license experience, and finally the rate of job category). Details about participants' demographics are shown in Table 2.

**Table 2. Profiles of respondents (N =300)**

Characteristics		Percentage %
Age	(20-25) years	5.7
	(25-30) years	18.6
	(30-35) years	30
	(35-40) years	15.7
	(40-45) years	18.6
	(45-50) years	8.6
	(50-55) years	2.9
	Job experience	(1-5) years
(5-10) years		44.3
(10-15) years		18.6
(15-20) years		24.3
(20-25) years		4.3
Gender	Male	62.9
	Female	37.1
Marital status	Single	4.3
	Married	95.7
Annual Kilometers	Less than 5000 km/an	5.7
	Between 5 000 and 9 999 km/an	10
	Between 10 000 and 14 999 km/an	5.7
	Between 15 000 and 19 999 km/an	24.3
	Between 20 000 and 24 999 km/an	25.7
	Between 25 000 and 30 000 km/an	4.3
Driver's license experience	More than 30 000 km/an	24.3
	(1-5) years	10
	(5-10) years	17.1
	(10-15) years	31.4
	(15-20) years	20
	(20-25) years	15.7
Job category	(25-30) years	5.7
	Manager	28.6
	Worker	71.4

### Survey Instrument

The questionnaire contained 28 questions to measure the perceptions of the managers and employees about the six safety management of road safety practices, 8 questions to measure the

participants' level of safety knowledge and safety motivation and 8 questions to measure self-rated safety compliance and safety participation. This was prepared based on a review of related literature and theory. It contained questions covering areas of safety

communication in management commitment (4 items), safety training (4 items), workers' involvement (4 items), safety communication and feedback (4 items), safety procedures (4 items), safety promotion (4 items), safety knowledge (4 items), safety motivation (4 items), safety compliance (4 items), safety participation (4 items).

The content and substance of most of these 40 questions were taken from previous questionnaires of Vinodkumar and Bhasi (2009, 2010), Cheyne et al. (1998), Cox and Cheyne (2000), Coyle et al. (1995), Flin et al. (2000), Glendon and Litherland (2001), Neal et al. (2000), Varonen and Mattila (2000), Vredenburg (2002), Williamson et al. (1997), Zohar (1980).

The scales were further developed by including complementary additions of new items, and some items were reworded and rephrased to suit local working road practices and culture. Care was taken to maintain the conceptual meaning of the scales close to the operationalizations made by Cheyne et al. (1998) and Neal et al. (2000). The contents of this draft questionnaire were discussed with senior researchers on road safety and professionals from the French Institute of Sciences and Technology for Transport, Development and Networks (IFSTTAR), as well as senior professors at the Laboratory of Driver

Psychology (LPC) to ensure face validity. After considering each item in detail, necessary changes were made by simplifying, rewording, removing and replacing some of the items. The reliability and correlations were examined and those items with item-to-total correlation below 0.4 were dropped from the survey instrument.

**Data Analysis**

Descriptive statistics and correlations of the studied variables were first analyzed. Confirmatory factor analysis was used to verify the unidimensionality and reliability of the six antecedents' safety management of road safety practices (safety commitment, safety training, safety communication and feedback, workers' involvement, safety rules and procedures and safety promotion policies), two determinants of safety performance (safety knowledge and safety motivation) and two components of safety performance (safety compliance and safety participation). Structural equation modelling (SEM) techniques were used to conduct path analysis to test the hypotheses and the goodness of fit of the various models. AMOS-19 software was used for CFA and path analysis. The remaining analyses were conducted using SPSS-19 software.

**Table 3. Means, standard deviations and correlations of the measures**

	Mean	S.D.	1	2	3	4	5	6	7	8	9	10
COM	4.22	0.43										
TRA	4.23	0.59	0.59**									
INV	3.7	0.72	0.59**	0.63**								
FEED	4.45	0.39	0.15	0.18	-0.02							
PROC	4.52	0.29	0.27*	0.28*	0.54**	0.47**						
PROM	3.52	0.49	0.61**	0.73**	0.72**	0.44**	0.59**					
KNO	4.37	0.35	0.69**	0.43**	0.53**	0.51**	0.57**	0.68**				
MOT	4.63	0.49	0.52**	0.37**	0.83**	-0.16	0.60**	0.53**	0.56**			
COMP	4.41	0.33	0.48**	0.26*	0.53**	0.60**	0.83**	0.50**	0.74**	0.57**		
PAR	4.47	0.44	0.23*	0.46**	0.56**	0.55**	0.73**	0.70**	0.54**	0.39**	0.61**	-

\*\* Correlations significant at p < 0.01.

\* Correlations significant at p < 0.05.

Abbreviations: commitment (COM); training (TRA); involvement (INV); feedback (FEED); procedures (PROC); promotion (PROM); knowledge (KNO); motivation (MOT); compliance (COMP); participation (PAR).

## RESULTS

Table 3 contains the means, standard deviations and inter-correlations of all the measures. There are significant negative correlations between the six safety management of road safety practices and self-reported road crashes data indicating the role of communication in safety performance management of road safety practices and the reduction of road crashes.

All the six antecedents' safety management practice scores have significant positive correlations with the six antecedents' safety management of road safety practices, suggesting support for hypothesis H1. Moreover, both safety motivation and safety compliance showed significant positive correlations with the six antecedents' safety management of road safety practices, suggesting support for hypotheses H3 and H4.

## Unidimensionality Analysis

Unidimensionality refers to the existence of a single construct/ trait underlying a set of measures (Hair et al., 1998). Removal of items that reduce unidimensionality helps to solve the problems associated with unidimensionality. An instrument can be fine-tuned in this manner. Individual items in the model are investigated to see how closely they represent the same construct. A Comparative Fit Index (CFI) of 0.9 or higher for the model implies that there is strong evidence of unidimensionality (Byrne, 1994; Issac et al., 2006). The unidimensionality of the instrument used in the current study was tested by computing CFI values for all the measures. The results are shown in Table 4. Most of the CFI values were found to be above 0.95 satisfying the more stringent criteria put forward by Hu and Bentler (1995), demonstrating strong unidimensionality for all the scales.

**Table 4. Results of confirmatory factor analysis: unidimensionality and Reliability coefficients**

No.	safety management measure	No. of items	Comparative Fit Index (CFI)	Cronbach's alpha ( $\alpha$ )
1	Safety commitment	4	0.96	0.43
2	Safety training	4	0.99	0.70
3	Workers' involvement	4	0.95	0.78
4	Safety communication and feedback	4	0.98	0.75
5	Safety procedures	4	0.99	0.59
6	Safety promotion	4	0.94	0.55
7	Safety knowledge	4	0.99	0.63
8	Safety motivation	4	0.97	0.74
9	Safety compliance	4	0.99	0.56
10	Safety participation	4	0.98	0.52

## Reliability Analysis

Unidimensionality alone, though a necessary condition, is not sufficient by itself to establish the usefulness of a scale. Once unidimensionality is substantiated, its 'statistical reliability' should be assessed before it is subjected to any further validation analysis (Sureshchander et al., 2001). Even a perfectly


unidimensional (and otherwise construct validity) scale would be rendered futile if the resultant aggregate score is ascertained basically by measurement error, with the values of the scores broadly fluctuating over repeated measures (Gerbing and Anderson, 1988). Reliability is defined as the proportion of observed score variance that is attributable to true score variance. There are

several methods to establish the reliability of a measuring instrument, and the internal consistency method is the most commonly used method in studies with cross-sectional design. The internal consistency is estimated using a reliability coefficient called Cronbach's alpha ( $\alpha$ ) (Cronbach, 1951). A value of 0.70 or above is considered to be the criterion for demonstrating strong internal consistency of established scales (Nunnally, 1978). In the case of exploratory research, a value of 0.60 or above is also considered as significant (Hair et al., 1998). Reliability analysis revealed that all of the six antecedents' safety management of road safety practices, two determinants of safety performance and two components of safety performance have good reliability suggesting that the

survey items were appropriate indicators of their respective constructs.

**Path Analysis**

Path analysis has been conducted using the AMOS-19 program to test the hypotheses advanced. The hypothesized model shown in Fig. 2 was tested first. The present study used a set of different types of fit measures (Hair et al., 1998; Hoyle, 1995; Kline, 1998) such as, Chi-square values ( $\chi^2$ ), Comparative Fit Index (CFI), Bentler-Bonnett Fit Index (NFI), Tucker-Lewis Fit Index (TLI) and root mean square error of approximation (RMSEA) to determine the goodness of fit of a model.



**Figure (2): Proposed causal model of relationships between influencing factors**

The recommended values for CFI, NFI and TLI are higher than 0.9 and RMSEA values less than or equal to 0.04 for good model fit (Hu and Bentler, 1999). A non-significant Chi-square indicates that the

hypothetical model fits the data. Table 5 shows the fit indices of the hypothesized and modified models. The direct relationships of the six antecedents' safety management of road practices with safety performance

components were tested. Results show that safety commitment, safety communication and feedback predicted both safety knowledge and safety commitment. Safety communication and feedback, workers' involvement, safety rules and procedures predicted safety motivation. Furthermore, safety commitment, safety communication and feedback, workers' involvement, safety rules and procedures, and safety communication and feedback predicted safety participation. However, the remaining path coefficients

were non-significant. Moreover, both TLI and RMSEA values were below the acceptable limits indicating that the model does not fit the data adequately. Model modification was carried out using model trimming procedure by deleting the paths with non-significant path coefficients, The results given in Table 5 show that Chi-square has become non-significant ( $\chi^2/$  d.f.),  $p < 0.001$ , CFI = 0.98, NFI = 0.98, TLI = 0.97, RMSEA < 0.08, indicating good model fit.

**Table 5. Model specification and fit indices**

Model	Feature	$\chi^2$	d.f.	p	CFI	NFI	TLI	RMSEA
1	With all direct paths	204.3	14	<0.001	0.82	0.80	0.85	0.14
2	FOR $\leftrightarrow$ COM direct path added	130.7	17	<0.001	0.98	0.98	0.98	0.05
3	COM $\leftrightarrow$ INV direct path added	150.6	13	<0.001	0.97	0.98	0.96	0.04
4	COM $\leftrightarrow$ PROM direct path added	170.6	13	<0.001	0.98	0.98	0.97	0.05
5	FOR $\leftrightarrow$ INV direct path added	120.7	13	<0.001	0.98	0.98	0.98	0.06
6	FOR $\leftrightarrow$ PROM direct path added	144.9	17	<0.001	0.96	0.98	0.96	0.07
7	INV $\leftrightarrow$ PROC direct path added	170.7	15	<0.001	0.98	0.98	0.98	0.05
8	INV $\leftrightarrow$ PROM direct path added	178.3	13	<0.001	0.98	0.98	0.97	0.06
9	FEED $\leftrightarrow$ PROC direct path added	123.7	14	<0.001	0.98	0.98	0.97	0.07
10	FEED $\leftrightarrow$ PROM direct path added	148.6	11	<0.001	0.98	0.98	0.98	0.04
11	PROC $\leftrightarrow$ PROM direct path added	149.5	12	<0.001	0.96	0.97	0.96	0.06
12	MOT $\leftarrow$ COM direct path added	108.8	11	<0.001	0.97	0.97	0.97	0.05
13	MOT $\leftarrow$ INV direct path added	180.7	12	<0.001	0.98	0.98	0.98	0.06
14	MOT $\leftarrow$ FEED direct path added	114.9	13	<0.001	0.99	0.98	0.97	0.07
15	KNO $\leftarrow$ FEED direct path added	174.1	15	<0.001	0.98	0.96	0.99	0.06
16	MOT $\leftarrow$ PROC direct path added	189.3	17	<0.001	0.97	0.98	0.98	0.05
17	COMP $\leftarrow$ COM direct path added	190.6	15	<0.001	0.98	0.97	0.98	0.04
18	COMP $\leftarrow$ INV direct path added	114.8	13	<0.001	0.98	0.97	0.97	0.05
19	COMP $\leftarrow$ FEED direct path added	132.4	17	<0.001	0.98	0.98	0.98	0.06
20	PAR $\leftarrow$ FEED direct path added	117.5	13	<0.001	0.97	0.98	0.97	0.08
21	COMP $\leftarrow$ PROC direct path added	120.7	15	<0.001	0.98	0.98	0.97	0.07
22	COMP $\leftarrow$ PROM direct path added	113.8	19	<0.001	0.98	0.98	0.97	0.06

**Note:**  $\chi^2$ : Chi-square, **d.f.:** degrees of freedom, **p:** probability level, **CFI:** Comparative Fit Index, **NFI:** Bentler–Bonnett Normed Fit Index, **TLI:** Tucker–Lewis Fit Index, **RMSEA:** root mean square error of approximation, **COM:** commitment, **FOR:** formation, **INV:** involvement, **FEED:** feedback, **PROC:** procedures, **PROM:** promotion policies, **KNO:** knowledge,

MOT: motivation, COMP: compliance, PAR: participation.

The finalized model (Fig. 3) Reveals that the squared multiple correlations ( $R^2$ ) for the endogenous variables in the model are safety commitment, safety training, safety communication and feedback, workers' involvement, safety rules and procedures and safety promotion policies.

The model shows direct relationships between the six antecedents' safety management of road safety practices. Hence, hypothesis H1 is partially supported. Similarly, safety commitment, safety training, safety communication and feedback, workers' involvement and safety procedures predict safety knowledge supporting hypothesis H2. In contrast, only the factor safety communication and feedback predicts safety

motivation. Overall, hypothesis H2 receives only partial support. Hypothesis H4 also is supported because all the six antecedents' safety management of road safety practices predict safety performance components. There is significant direct path between safety commitment, safety training, safety communication and feedback, workers' involvement, safety procedures, safety promotion and safety compliance. Due to the absence of a direct significant path from safety commitment, safety training, workers' involvement, safety procedures and safety promotion to safety participation, we can conclude that the factor safety communication and feedback mediates the direct path between the six antecedents' safety management of road safety practices and safety participation. Hypothesis H5 receives only partial support.




Figure (3): Final model with standardized path coefficients

**DISCUSSION**

The first purpose of this study was to establish the unidimensionality and reliability of the six antecedents'

safety management of road safety practices, two determinants and two components of safety performance. These have been successfully demonstrated initially so that further analyses of the data can be carried out. The results of path analysis provided partial support to the hypothesized model. It is evident from Fig. 3 that the path coefficients are significant and the overall model has an acceptable fit to the data. As there are very few studies relating to employee safety in societies, this study provides sound insight into safety management of road safety practices and safety performance. The present study investigated the relationship between six safety management of road safety practices and the direct influence of safety performance. The results suggest that some safety management of road safety practices can have effects on knowledge and motivation, and that both factors are important determinants of safety performance. This information can be used in the design of interventions with emphasis on the most influencing safety management of road safety practices to ensure that they target both mediators; namely safety knowledge and safety motivation, to produce best results. This research can also help in the development of measurement systems to evaluate the effectiveness of safety management in road safety practices. Incorporating assessments of safety knowledge, safety motivation, safety compliance and safety participation along with the safety management of road safety practices into the safety monitoring systems will provide a more comprehensive assessment in terms of the effectiveness of safety management of road safety practices and their operation as well.

The most important finding of this study is the role of safety communication and feedback in safety management of road safety practices. Safety communication and feedback are found to predict safety knowledge, safety motivation, safety compliance and safety participation.

## CONCLUSIONS

The results of this study provide strong empirical support for the theoretical model that antecedents' safety management, determinants and components of safety performance are closely associated. The study demonstrated the validity and reliability of the six perceived safety management of road safety practices, two determinants and two components of safety performance. The predictive capacity of the six antecedents' safety management of road safety practices in safety knowledge, safety motivation, safety compliance and safety participation was demonstrated. The study also demonstrated that the perceptions of safety management of road safety practices influence safety performance through their direct effects on safety knowledge, safety motivation, safety compliance and safety participation. These findings provide valuable guidance for researchers and practitioners in identifying the mechanisms by which they can improve road safety in the workplace.

## ACKNOWLEDGMENT

I am grateful to Professor Patricia Delhomme laboratory director (LPC) and co-director of my PhD thesis, and also to the director of my PhD thesis Professor Hachmi Loukia.

Thanks are also extended to the managers and employees of the French companies who enabled data collection. Colas (Magny-les-Hameaux, ROINVILLE-SOUS-DOURDAN), Paris. La Plaine de l'Ain, Lyon. PSA Peugeot Citroën and MEDEF, as well as ANAIS and ALVE (Eure-et-loir).

I also thank all researchers in (IFSTTAR) French Institute of Sciences and Technology for Transportation, Development and Networks, who helped me in completing this study.

## REFERENCES

- Barling, J., and Zacharatos, A. (1999). "High performance safety systems: ten management practices for creating safe organizations". In: Parker, S.K. and Griffin, M.A. (Chairs), *Managing Safety at Work: Beyond Blaming the Individual*. Academy of Management Conference, Chicago, IL.
- Bowander, B. (1987). "The bhopal accident". *Technological Forecasting and Social Change*, 32 (2), 169-182.
- Brown, R.L., and Holmes, H. (1986). "The use of factor analytic procedure for assessing the validity of an employee safety climate model". *Accident Analysis and Prevention*, 18 (6), 445-470.
- Burke, M.J., Sarpy, S.A., Tesluk, P.E., and Smith-Crowe, K. (2002). "General safety performance: a test of a grounded theoretical model". *Personnel Psychology*, 55, 429-457.
- Byrne, B.M. 1994. "Structural equation modeling with EQS and EQS/Windows—Basic concepts: application and programming". Sage Publications, USA.
- Cardy, R. L. (2004). "Performance management: concepts, skills and exercises". Armonk, NY: M. E. Sharpe.
- Cheyne, A., Cox, S., Oliver, A., and Tomas, J. (1998). "Modelling safety climate in the prediction of levels of safety activity". *Work and Stress*, 12, 255-271.
- Chouhan, T.R. (2005). "The unfolding of bhopal disaster". *Journal of Loss Prevention in the Process Industries*, 18 (4-6), 205-208.
- Cohen, A. (1977). "Factors in successful safety programs". *Journal of Safety Research*, 9, 168-178.
- Cox, S.J., and Cheyne, A.J.T. (2000). "Assessing safety culture in offshore environments". *Safety Science*, 34, 111-129.
- Coyle, I., Sleeman, S., and Adams, D. (1995). "Safety climate". *Journal of Safety Research*, 22, 247-254.
- Cronbach, L.J. (1951). "Coefficient alpha and the internal structures of tests". *Psychometrika*, 16, 297-334.
- Dedobbeleer, N., and Beland, F. (1991). "A safety climate measure for construction sites". *Journal of Safety Research*, 22, 97-103.
- Flin, R., Mearns, K., O'Connor, P., and Bryden, R. (2000). "Measuring safety climate: identifying the common features". *Safety Science*, 34, 177-193.
- Gerbing, D.W., and Anderson, J.C. (1988). "An updated paradigm for scale development incorporating unidimensionality and its measurement". *Journal of Marketing Research*, 25, 186-192.
- Glendon, A.I., and Litherland, D.K. (2001). "Safety climate factors, group differences and safety behavior in road construction". *Safety Science*, 39, 157-188.
- Griffin, M.A., and Neal, A. (2000). "Perceptions of safety at work: a framework for linking safety climate to safety performance, knowledge and motivation". *Journal of Occupational Health and Psychology*, 5, 347-358.
- Gupta, J.P. (2002). "The bhopal gas tragedy: could it have happened in a developed country?" *Journal of Loss Prevention in the Process Industries*, 15 (1), 1-4.
- Habermas, J. (1984). "The theory of communicative action: reason and rationalization of society". Volume 1, Beacon Press, Boston.
- Hair, J.F., Anderson, R.E., Tatham, R.L., and Black, W.C. (1998). "Multivariate data analysis". Prentice-Hall International, New Jersey, USA.
- Harper, A.C., Cordery, J.L., de Klerk, N.H., Sevastos, P., Geelhoed, E., Gunson, C., Robinson, L., Sutherland, M., Osborn, D., and Colquhoun, J. (1997). "Curtin industrial safety trial: managerial behavior and program effectiveness". *Safety Science*, 24, 173-179.
- Hofmann, D., Jacobs, R., and Landy, F. (1995). "High reliability process industries: individual, micro-, and macro-organizational influences on safety performance". *Journal of Safety Research*, 26, 131-149.

- Hofmann, D. A., and Morgeson, F. P. (1999). "Safety-related behavior as a social exchange: the role of perceived organizational support and leader-member exchange". *Journal of Applied Psychology*, 84, 286-296. doi:10.1037/0021-9010.84.2.286.
- Hofmann, D.A., and Stetzer, A. (1998). "The role of safety climate and communication in accident interpretation: implications for learning from negative events". *Academy of Management Journal*, 41, 644-657.
- Hoyle, R.H. (1995). "The structural equation modeling approach: basic concepts and fundamental issues". In: Hoyle, R.H. (Ed.), *Structural Equation Modeling: Concepts, Issues and Applications*. Sage Publications, Inc., Thousand Oaks, CA, 1-55.
- Hu, L.T., and Bentler, P.M. (1995). "Evaluating model fit". In: Hoyle, R.H. (Ed.), *Structural Equation Modeling. Concepts, Issues and Applications*. Sage, London, 76-99.
- Hu, L.T., and Bentler, P.M. (1999). "Cutoff criteria for fit indexes in covariance structure analysis: conventional criteria versus alternatives". *Structural Equation Modeling*, 6 (1), 1-55.
- Huang, Y.H., Chen, J.C., DeArmond, S., Cigularov, K., and Chen, P.Y. (2007). "Role of safety climate and shift work on perceived injury risk: a multi-level analysis". *Accident Analysis and Prevention*, 39, 1088-1096.
- Huang, Y.H., Ho, M., Smith, G.S., and Chen, P.Y. (2006). "Safety climate and self-reported injury: assessing the mediating role of employee safety control". *Accident Analysis and Prevention*, 38, 425-433.
- Issac, G., Rajendran, C., and Anantharaman, R.N. (2006). "An instrument for measurement of customer perception of quality management in the software industry: an empirical study in India". *Software Quality Journal*, 14, 291-308.
- Kline, R.B. (1998). "Principles and practices of structural equation modeling". The Guilford Press, London.
- Labodova, A. (2004). "Implementing integrated management systems using a risk analysis based approach". *Journal of Cleaner Production*, 12, 571-580.
- Lawler, E. E. (2008). "Make human capital a source of competitive advantage". *Organizational Dynamics*, 38, 1-7.
- Mattila, M., Hyttinen, M., and Rantanen, E. (1994). "Effective supervisory behavior and safety on a building site". *International Journal of Industrial Ergonomics*, 13, 85-93.
- Mearns, K., and Hope, L. (2005). "Heal and well-being in the offshore environment: the management of personal health". Research Report, 305. HSE Books, Norwich.
- Mearns, K., Flin, R., Gordon, R., and Fleming, M. (1998). "Measuring safety climate on offshore installations". *Work and Stress*, 12, 238-254.
- Mearns, K., Whitaker, S.M., and Flin, R. (2003). "Safety climate, safety management practice and safety performance in offshore environments". *Safety Science*, 41, 641-680.
- Mitropoulos, P., Abdelhamid, T.S., and Howell, G.A. (2005). "Systems model of construction accident causation". *Journal of Construction Engineering and Management*, 131 (7), 816-825.
- Nachtigall, C.K., Ulf, Funke, Friedrich, Steyer, and Rolf. (2003). "Why should we use SEM? Pros and cons of structural equation modeling". *Methods of Psychological Research Online*, 8 (2), 1-22.
- Neal, A., Griffin, M.A., and Hart, P.M. (2000). "The impact of organizational climate on safety climate and individual behavior". *Safety Science*, 34, 99-109.
- Niskanen, T. (1994). "Safety climate in the road administration". *Safety Science*, 7, 237-255.
- Nunnally, J.M. (1978). "Psychometric theory". 2<sup>nd</sup> ed., McGraw-Hill, New York.
- Ostrom, L., Wilhelmsen, C., and Kaplan, B. (1993). "Assessing safety culture". *Nuclear Safety*, 34 (2), 163-172.
- Parker, S.K., Axtell, C.M., and Turner, N. (2001). "Designing a safer workplace: importance of job autonomy, communication quality and supportive supervisors". *Journal of Occupational Health Psychology*, 6 (3), 211-228.

- Probst, T.M. (2004). "Safety and insecurity: exploring the moderating effect of organizational safety climate". *Journal of Occupational Health Psychology*, 9 (1), 3-10.
- Pulakos, E. D. (2009). "Performance management: a new approach for driving business results". Malden, MA: Wiley-Blackwell.
- Ringen, K., Englund, A., Welch, L., Weeks, J.L., and Seegal, J.L. (1995a). "Why is construction different?" *Occupational Medicine*, 10 (2), 255-259.
- Sawacha, E., Naoum, S., and Fong, D. (1999). "Factors affecting safety performance on construction sites". *International Journal of Project Management*, 17 (5), 309-315.
- Simard, M., and Marchand, A. (1994). "The behavior of first-line supervisors in accident prevention and effectiveness in occupational safety". *Safety Science*, 17, 169-185.
- Siu, O., Phillips, D.R., and Leung, T. (2004). "Safety climate and safety performance among construction workers in Hong Kong: the role of psychological strains as mediators". *Accident Analysis and Prevention*, 36 (3), 359-366.
- Smith, M.J., Cohen, H.H., Cohen, A., and Cleveland, R.J. (1975). "On-site observations of safety practices in plants with differential safety performance". In: *National Safety Congress Transactions*, Vol. 12, National Safety Council, Chicago.
- Smith-Crowe, K., Burke, M.J., and Landis, R.S. (2003). "Organizational climate as a moderator of safety knowledge-safety performance relationships". *Journal of Organizational Behavior*, 24, 861-876.
- Stout, R.J., Salas, E., and Kraiger, K. (1997). "The role of trainee knowledge structures in aviation team environments". *International Journal of Aviation Psychology*, 7, 235-250.
- Sureshchander, G.S., Rajendran, C., and Anantharaman, R.N. (2001). "A holistic model for total quality service". *International Journal of Service Industry Management*, 12, 378-412.
- U.S. Bureau of Labor Statistics (2008a). "National census of fatal occupational injuries in 2007". U.S. Department of Labor, Washington, DC. Retrieved October 4, 2008, from <http://www.bls.gov/iif/oshcfoi1.htm>
- U.S. Bureau of Labor Statistics (2008b). "Workplace injuries and illnesses in 2007".
- U.S. Bureau of Labor Statistics (2008c). "Number of fatal work injuries, 1992-2007".
- U.S. Department of Labor. (2009). Washington, DC. Retrieved April 30, 2009, from <http://www.bls.gov/iif/oshsum.htm>
- U.S. Department of Labor. (2008). "Washington, DC. Retrieved October 4, 2008, from <http://www.bls.gov/iif/oshwc/foi/cfch0006.pdf>
- Varonen, U., and Mattila, M. (2000). "The safety climate and its relationship to safety practices, safety of work environment and occupational accidents in eight wood processing companies". *Accident Analysis and Prevention*, 32, 761-769.
- Vinodkumar, M.N., and Bhasi, M. (2009). "Safety climate factors and its relationship with accidents and personal attributes in the chemical industry". *Safety Science*, 47, 659-667.
- Vinodkumar, M.N., and Bhasi, M. (2010). "Safety management practices and safety behaviour: Assessing the mediating role of safety knowledge and motivation". *Accident Analysis and Prevention*, 42, 2082-2093.
- Vredenburg, A.G. (2002). "Organizational safety—which management practices are most effective in reducing employee injury rates?" *Journal of Safety Research*, 33, 259-276.
- Wahrer, G.M., Dong, X., Miller, T.R., Haile, E., and Men, Y. (2007). "Costs of occupational injuries in construction in the United States". *Accident Analysis and Prevention*, 39, 1258-1266.
- Williamson, A.M., Feyer, A., Cairns, D., and Biancotti, D. (1997). "The development of a measure to safety climate: the role of safety perceptions and attitudes". *Safety Science*, 25, 15-27.

Zohar, D. (1980). "Safety climate in industrial organizations: theoretical and applied implications". *Journal of Applied Psychology*, 65, 96-102.

Zohar, D. (2000). "A group-level model of safety climate: testing the effect of group climate on micro-accidents in manufacturing jobs". *Journal of Applied Psychology*, 85, 587-596.

Zohar, D., and Luria, G. (2003). "The use of supervisory practices as leverage to improve safety behavior: a cross-level intervention model". *Journal of Safety Research*, 34, 567-577.